



**MY UNION  
WREU**

## **Western Railway Employees' Union**

**WREU**

**Recognised, Registered & Affiliated with AIRF-HMS-ITF**

**Main Office :** N/R Railway Hosp., Station Road, Sayajigunj, Vadodara-390001

**Prem Office :** Divisional Railway Manager Office, Pratapnagar, Vadodara-390004.

**Phone (Rail) :** 091-44031-32, 091-43012-13 **Landline :** +91265-2636194

**Email :** wreubrc25@gmail.com **www.wreuindia.org**

**Shri J. R. Bhosle**  
Gen. Secretary

**VADODARA DIVISION**

**Shri R. C. Sharma**  
President

**SANTOSH PAWAR**  
Asst. Gen. Secretary

**A.P. MAURYA**  
Div. Chariman

**SANJAY PAWAR**  
Div. Secretary

**No. : WREU-KRCA-13-2025**

To,  
Sr. DME-BRC,  
Sr. DPO-BRC,

Date : 01/08/2025

**Sub :** Request to stop BTPN Top Fitting Examination until Gentry is provided.

Dear Sir,

With due respect, the union wishes to bring to your urgent attention the grave safety concerns regarding the recently started BTPN Top Fitting examination, following the guidelines issued by PCME/WR. As per the instructions, this work is currently being carried out on Line Nos. 4 to 8 and 14/15.

It is highly regrettable that this activity is being conducted at 35 feet height without the provision of proper safety equipment such as gentry. The surface of BTPN wagons is extremely slippery, and considering that these tanks contain petroleum gas, any mishap could result in fatal accidents. The risk involved is not only serious but life-threatening.

The union strongly demands that this top-fitting examination work be stopped with immediate effect until proper and secure gentry arrangements are provided at the workplace. No task should be carried out at the cost of staff safety and life.

We request your kind intervention to treat this matter with top priority and issue necessary instructions accordingly in the interest of staff welfare and industrial safety.

Action taken may please be advice to union.

Sanjay Pawar.  
Divisional Secretary  
WREU / BRC

**CC :** DRM-BRC for kind information and necessary action